

Author index

Volume 65 (1997)

- Alric, S., see Bonnelye, E., **65**, 71
- Artinger, M., Blitz, I., Inoue, K., Tran, U., Cho, K.W.Y., Interaction of *gooseoid* and *brachyury* in *Xenopus* mesoderm patterning, **65**, 187
- Bartholomew, C., see Hoyt, P.R., **65**, 55
- Bell, J.R., see Wu, L., **65**, 3
- Bielinska, M., Wilson, D.B., Induction of yolk sac endoderm in GATA-4-deficient embryoid bodies by retinoic acid, **65**, 43
- Birkenmeier, E.H., see Branford, W.W., **65**, 87
- Blitz, I., see Artinger, M., **65**, 187
- Bonnelye, E., Vanacker, J.M., Spruyt, N., Alric, S., Fournier, B., Desbiens, X., Laudet, V., Expression of the estrogen-related receptor 1 (ERR-1) orphan receptor during mouse development, **65**, 71
- Branford, W.W., Zhao, G.-Q., Valerius, M.T., Weinstein, M., Birkenmeier, E.H., Rowe, L.B., Potter, S.S., *Spx1*, a novel X-linked homeobox gene expressed during spermatogenesis, **65**, 87
- Brizuela, B.J., Kennison, J.A., The *Drosophila* homeotic gene *moira* regulates expression of *engrailed* and HOM genes in imaginal tissues, **65**, 209
- Bruneau, S., Mourrain, P., Rosa, F.M., Expression of *contact*, a new zebrafish DVR member, marks mesenchymal cell lineages in the developing pectoral fins and head and is regulated by retinoic acid, **65**, 163
- Buckingham, M.E., see Houzelstein, D., **65**, 123
- Callaini, G., see Riparbelli, M.G., **65**, 135
- Campos-Ortega, J.A., see Sawai, S., **65**, 175
- Charnay, P., see Seitanidou, T., **65**, 31
- Cho, K.W.Y., see Artinger, M., **65**, 187
- Clemens, J.C., see Ursuliak, Z., **65**, 19
- Cohen, A., see Houzelstein, D., **65**, 123
- Dallai, R., see Riparbelli, M.G., **65**, 135
- Davis, A.J., see Hoyt, P.R., **65**, 55
- Desbiens, X., see Bonnelye, E., **65**, 71
- Desmarquet, C., see Seitanidou, T., **65**, 31
- Dixon, J.E., see Ursuliak, Z., **65**, 19
- Dobens, L.L., Hsu, T., Twombly, V., Gelbart, W.M., Raftery, L.A., Kafatos, F.C., The *Drosophila* *bunched* gene is a homologue of the growth factor stimulated mammalian TSC-22 sequence and is required during oogenesis, **65**, 197
- Eichmann, A., Grapin-Botton, A., Kelly, L., Graf, T., Le Douarin, N.M., Sieweke, M., The expression pattern of the *mafB/kr* gene in birds and mice reveals that the *kreisler* phenotype does not represent a null mutant, **65**, 111
- Fournier, B., see Bonnelye, E., **65**, 71
- Frasch, M., see Tribioli, C., **65**, 145
- Gamer, L.W., see Hoyt, P.R., **65**, 55
- Gelbart, W.M., see Dobens, L.L., **65**, 197
- Graf, T., see Eichmann, A., **65**, 111
- Grapin-Botton, A., see Eichmann, A., **65**, 111
- Houzelstein, D., Cohen, A., Buckingham, M.E., Robert, B., Insertional mutation of the mouse *Msx1* homeobox gene by an *nlacZ* reporter gene, **65**, 123
- Hoyt, P.R., Bartholomew, C., Davis, A.J., Yutzey, K., Gamer, L.W., Potter, S.S., Ihle, J.N., Mucenski, M.L., The *Evil* proto-oncogene is required at midgestation for neural, heart, and paraxial mesenchyme development, **65**, 55
- Hsu, T., see Dobens, L.L., **65**, 197
- Ihle, J.N., see Hoyt, P.R., **65**, 55
- Inoue, K., see Artinger, M., **65**, 187
- Kafatos, F.C., see Dobens, L.L., **65**, 197
- Kato, K., see Miura, H., **65**, 99
- Kelly, L., see Eichmann, A., **65**, 111
- Kennison, J.A., see Brizuela, B.J., **65**, 209
- Kitamura, K., see Miura, H., **65**, 99
- Laudet, V., see Bonnelye, E., **65**, 71
- Le Douarin, N.M., see Eichmann, A., **65**, 111
- Lufkin, T., see Tribioli, C., **65**, 145
- Lyons, G.E., see Wu, L., **65**, 3
- Maxson, R., see Wu, L., **65**, 3
- Miura, H., Yanazawa, M., Kato, K., Kitamura, K., Expression of a novel *aristaless* related homeobox gene 'Arx' in the vertebrate telencephalon, diencephalon and floor plate, **65**, 99
- Mourrain, P., see Bruneau, S., **65**, 163
- Mucenski, M.L., see Hoyt, P.R., **65**, 55
- Potter, S.S., see Branford, W.W., **65**, 87
- Potter, S.S., see Hoyt, P.R., **65**, 55
- Price, J.V., see Ursuliak, Z., **65**, 19
- Raftery, L.A., see Dobens, L.L., **65**, 197
- Riparbelli, M.G., Whitfield, W.G.F., Dallai, R., Callaini, G., Assembly of the zygotic centrosome in the fertilized *Drosophila* egg, **65**, 135
- Robert, B., see Houzelstein, D., **65**, 123
- Rosa, F.M., see Bruneau, S., **65**, 163
- Rowe, L.B., see Branford, W.W., **65**, 87
- Sangiorgi, F., see Wu, L., **65**, 3
- Sawai, S., Campos-Ortega, J.A., A zebrafish Id homologue and its pattern of expression during embryogenesis, **65**, 175
- Schneider-Maunoury, S., see Seitanidou, T., **65**, 31
- Seitanidou, T., Schneider-Maunoury, S., Desmarquet, C., Wilkinson, D.G., Charnay, P., Krox-20 is a key regulator of rhombomere-specific gene expression in the developing hindbrain, **65**, 31

- Sieweke, M., see Eichmann, A., 65, 111
Spruyt, N., see Bonnelye, E., 65, 71
- Tran, U., see Artinger, M., 65, 187
Tribioli, C., Frasch, M., Lufkin, T., *Bapx1*: an evolutionary conserved homologue of the *Drosophila bagpipe* homeobox gene is expressed in splanchnic mesoderm and the embryonic skeleton, 65, 145
Twombly, V., see Dobens, L.L., 65, 197
- Ursuliak, Z., Clemens, J.C., Dixon, J.E., Price, J.V., Differential accumulation of *DPTP61F* alternative transcripts: regulation of a protein tyrosine phosphatase by segmentation genes, 65, 19
- Valerius, M.T., see Branford, W.W., 65, 87
Vanacker, J.M., see Bonnelye, E., 65, 71
- Weinstein, M., see Branford, W.W., 65, 87
Whitfield, W.G.F., see Riparbelli, M.G., 65, 135
Wilkinson, D.G., see Seitanidou, T., 65, 31
Wilson, D.B., see Bielinska, M., 65, 43
Wu, H., see Wu, L., 65, 3
Wu, L., Wu, H., Sangiorgi, F., Wu, N., Bell, J.R., Lyons, G.E., Maxson, R., Miz1, a novel zinc finger transcription factor that interacts with Msx2 and enhances its affinity for DNA, 65, 3
Wu, N., see Wu, L., 65, 3
- Yanazawa, M., see Miura, H., 65, 99
Yutzey, K., see Hoyt, P.R., 65, 55
- Zhao, G.-Q., see Branford, W.W., 65, 87

Subject index

Volume 65 (1997)

Alternative splicing; Protein tyrosine phosphatase; *Drosophila* **65**, 19

Aristaless; *Arx*; Homeobox gene; *Dlx1*; Dorsal telencephalon; Ganglionic eminence; Ventral thalamus; Floor plate; Mouse; Zebrafish **65**, 99

Arx; Homeobox gene; *Aristaless*; *Dlx1*; Dorsal telencephalon; Ganglionic eminence; Ventral thalamus; Floor plate; Mouse; Zebrafish **65**, 99

Bapx1; Homeobox gene; *Drosophila* **65**, 145

Brachyury; *Goosecoid*; Mesoderm patterning; Organizer; *Xenopus* **65**, 187

Cell proliferation; *Evi1*; Homologous recombination; Mouse; Embryogenesis **65**, 55

Central nervous system; Estrogen receptor; *ERR-1*; Orphan receptors; Nuclear hormone receptors; Differentiation; Muscle **65**, 71

CP190; *Drosophila*; Fertilization; Zygotic centrosome; γ -Tubulin **65**, 135

Development; GATA-binding protein; Visceral endoderm; Parietal endoderm **65**, 43

Differentiation; Estrogen receptor; *ERR-1*; Orphan receptors; Nuclear hormone receptors; Muscle; Central nervous system **65**, 71

Dlx1; *Arx*; Homeobox gene; *Aristaless*; Dorsal telencephalon; Ganglionic eminence; Ventral thalamus; Floor plate; Mouse; Zebrafish **65**, 99

DNA affinity; Miz1; Transcription; Factor; *Msx2* **65**, 3

Dorsal telencephalon; *Arx*; Homeobox gene; *Aristaless*; *Dlx1*; Ganglionic eminence; Ventral thalamus; Floor plate; Mouse; Zebrafish **65**, 99

Drosophila; *Bapx1*; Homeobox gene **65**, 145

Drosophila; Fertilization; Zygotic centrosome; γ -Tubulin; CP190 **65**, 135

Drosophila; Homeotic gene; *engrailed*; *moira*; Transcriptional activation **65**, 209

Drosophila; Protein tyrosine phosphatase; Alternative splicing **65**, 19

Drosophila; TGF- α ; Oogenesis **65**, 197

Embryogenesis; *Evi1*; Homologous recombination; Cell proliferation; Mouse **65**, 55

Embryogenesis; Zebrafish; Expression **65**, 175

engrailed; *Drosophila*; Homeotic gene; *moira*; Transcriptional activation **65**, 209

ERR-1; Estrogen receptor; Orphan receptors; Nuclear hormone receptors; Differentiation; Muscle; Central nervous system **65**, 71

Estrogen receptor; *ERR-1*; Orphan receptors; Nuclear hormone receptors; Differentiation; Muscle; Central nervous system **65**, 71

Evi1; Homologous recombination; Cell proliferation; Mouse; Embryogenesis **65**, 55

Expression; Zebrafish; Embryogenesis **65**, 175

Factor; Miz1; Transcription; *Msx2*; DNA affinity **65**, 3

Fertilization; *Drosophila*; Zygotic centrosome; γ -Tubulin; CP190 **65**, 135

Floor plate; *Arx*; Homeobox gene; *Aristaless*; *Dlx1*; Dorsal telencephalon; Ganglionic eminence; Ventral thalamus; Mouse; Zebrafish **65**, 99

Follistatin; *Krox-20*; *Sek-1*; *Hoxb-3*; Gene regulation; Hindbrain segmentation; Rhombomeres **65**, 31

Ganglionic eminence; *Arx*; Homeobox gene; *Aristaless*; *Dlx1*; Dorsal telencephalon; Ventral thalamus; Floor plate; Mouse; Zebrafish **65**, 99

GATA-binding protein; Visceral endoderm; Parietal endoderm; Development **65**, 43

Gene regulation; *Krox-20*; *Sek-1*; *Hoxb-3*; Follistatin; Hindbrain segmentation; Rhombomeres **65**, 31

Goosecoid; *Brachyury*; Mesoderm patterning; Organizer; *Xenopus* **65**, 187

Hindbrain segmentation; *Krox-20*; *Sek-1*; *Hoxb-3*; Follistatin; Gene regulation; Rhombomeres **65**, 31

Homeobox gene; *Arx*; *Aristaless*; *Dlx1*; Dorsal telencephalon; Ganglionic eminence; Ventral thalamus; Floor plate; Mouse; Zebrafish **65**, 99

Homeobox gene; *Bapx1*; *Drosophila* **65**, 145

Homeobox gene; Mouse; Spermatogenesis; Testis; X-chromosome **65**, 87

Homeobox genes; Mouse embryogenesis; *Msx1*; *Msx2* **65**, 123

- Homeotic gene;** *Drosophila*; *engrailed*; *moira*; Transcriptional activation **65**, 209
- Homologous recombination;** *Evi1*; Cell proliferation; Mouse; Embryogenesis **65**, 55
- Hoxb-3*; *Krox-20*; *Sek-1*; *Follistatin*; Gene regulation; Hindbrain segmentation; *Rhombomeres* **65**, 31
- kreisler*; *mafB/kr* Gene; Mutation; Transcription factor **65**, 111
- Krox-20;** *Sek-1*; *Hoxb-3*; *Follistatin*; Gene regulation; Hindbrain segmentation; *Rhombomeres* **65**, 31
- mafB/kr* gene; *kreisler* Mutation; Transcription factor **65**, 111
- Mesoderm patterning;** *Brachyury*; *Goosecoid*; Organizer; *Xenopus* **65**, 187
- Miz1;** Transcription; Factor; *Msx2*; DNA affinity **65**, 3
- moira*; *Drosophila*; Homeotic gene; *engrailed*; Transcriptional activation **65**, 209
- Mouse;** *Arx*; Homeobox gene; *Aristaless*; *Dlx1*; Dorsal telencephalon; Ganglionic eminence; Ventral thalamus; Floor plate; Zebrafish **65**, 99
- Mouse;** *Evi1*; Homologous recombination; Cell proliferation; Embryogenesis **65**, 55
- Mouse; Homeobox gene; Spermatogenesis; Testis; X-chromosome **65**, 87
- Mouse embryogenesis; *Msx1*; *Msx2*; Homeobox genes **65**, 123
- Msx2*; *Miz1*; Transcription; Factor; DNA affinity **65**, 3
- Msx2*; Mouse embryogenesis; *Msx1*; Homeobox genes **65**, 123
- Muscle; Estrogen receptor; *ERR-1*; Orphan receptors; Nuclear hormone receptors; Differentiation; Central nervous system **65**, 71
- Mutation; *mafB/kr* Gene; *kreisler* Transcription factor **65**, 111
- Nuclear hormone receptors;** Estrogen receptor; *ERR-1*; Orphan receptors; Differentiation; Muscle; Central nervous system **65**, 71
- Oogenesis;** TGF- α ; *Drosophila*; **65**, 197
- Organizer;** *Brachyury*; *Goosecoid*; Mesoderm patterning; *Xenopus* **65**, 187
- Orphan receptors;** Estrogen receptor; *ERR-1*; Nuclear hormone receptors; Differentiation; Muscle; Central nervous system **65**, 71
- Parietal endoderm;** GATA-binding protein; Visceral endoderm; Development **65**, 43
- Pectoral fins;** TGF- β ; Zebrafish; Retinoic acid; Pharyngeal arches **65**, 163
- Pharyngeal arches;** TGF- β ; Zebrafish; Pectoral fins; Retinoic acid **65**, 163
- Protein tyrosine phosphatase;** *Drosophila*; Alternative splicing **65**, 19
- Retinoic acid;** TGF- β ; Zebrafish; Pectoral fins; Pharyngeal arches **65**, 163
- Rhombomeres;** *Krox-20*; *Sek-1*; *Hoxb-3*; *Follistatin*; Gene regulation; Hindbrain segmentation **65**, 31
- Sek-1;** *Krox-20*; *Hoxb-3*; *Follistatin*; Gene regulation; Hindbrain segmentation; *Rhombomeres* **65**, 31
- Spermatogenesis;** Homeobox gene; Mouse; Testis; X-chromosome **65**, 87
- Testis;** Homeobox gene; Mouse; Spermatogenesis; X-chromosome **65**, 87
- TGF- α ;** Oogenesis; *Drosophila*; **65**, 197
- TGF- β ;** Zebrafish; Pectoral fins; Retinoic acid; Pharyngeal arches **65**, 163
- Transcription;** *Miz1*; Factor; *Msx2*; DNA affinity **65**, 3
- Transcriptional activation;** *Drosophila*; Homeotic gene; *engrailed*; *moira* **65**, 209
- Transcription factor;** *mafB/kr* Gene; *kreisler* Mutation **65**, 111
- γ -Tubulin;** *Drosophila*; Fertilization; Zygotic centrosome; CP190 **65**, 135
- Ventral thalamus;** *Arx*; Homeobox gene; *Aristaless*; *Dlx1*; Dorsal telencephalon; Ganglionic eminence; Floor plate; Mouse; Zebrafish **65**, 99
- Visceral endoderm;** GATA-binding protein; Parietal endoderm; Development **65**, 43
- X-chromosome;** Homeobox gene; Mouse; Spermatogenesis; Testis **65**, 87
- Xenopus*; *Brachyury*; *Goosecoid*; Mesoderm patterning; Organizer **65**, 187
- Zebrafish;** *Arx*; Homeobox gene; *Aristaless*; *Dlx1*; Dorsal telencephalon; Ganglionic eminence; Ventral thalamus; Floor plate; Mouse **65**, 99
- Zebrafish;** Expression; Embryogenesis **65**, 175
- Zebrafish;** TGF- β ; Pectoral fins; Retinoic acid; Pharyngeal arches **65**, 163
- Zygotic centrosome;** *Drosophila*; Fertilization; γ -Tubulin; CP190 **65**, 135